


MITSUBISHI
ASX
ACTIVE SPORT
CROSSOVER



MITSUBISHI
MOTORS

Drive@earth




High Contrast Instrument Meter Cluster

LCD-Type Multi-Information Display Monitor (Average Fuel Consumption, Average Speed, Trip meter and Odometer, Periodic Maintenance Reminder, Drive Range, Outside Temperature).
LED type for GLS and GLX models

High Hip Point and Good Visibility

ASX provides an elevated seat position that, with the sloping hood design, gives a better view of the road for easier maneuvering and greater safety. The raised hip point also allows for smoother entrances and exits.



Our advanced entertainment system has a 6.2 inch Touch Screen LCD Monitor that can play your favorite DVD, provide GPS navigation (GLS SE and GLS models only), or hook up your iPod or USB stick for more playback options.

ASX

ACTIVE SPORT CROSSOVER



Cargo Capacity
• 384 liters of available cargo capacity



Black Sport-Type 3D Embossed Fabric Seats



Discover a fun, energetic, and agile way to drive around.
The Mitsubishi ASX or Active Sport Crossover fits your active lifestyle with its right size and advanced features.




Fully Automatic Air Conditioner



7- Dual Stage Airbag System
• Front, Side, Curtain, and Driver's Knee Airbags (GLS SE)



Super Wide Range HID Headlamps (GLS SE)




Keyless Operation System + Engine Start/Stop Button (GLS SE)



Full-Flat Rear Seat / 60:40 Split
Foldable Seatback



Armrest-through Lid



Magnesium Alloy Paddle
Shifters and Audio Controls
(GLS SE and GLS)

ASX

GENERAL SPECIFICATIONS		GLS SE 4x4 CVT	GLS 4x2 CVT	GLX 4x2 M/T
Overall Length	(mm)	4295		
Overall Width	(mm)	1770		
Overall Height	(mm)	1625		
Wheelbase	(mm)	2670		
Tread (Front/Rear)	(mm)	1525 / 1525		
Turning Radius	(m)	5.3		
Min.Ground Clearance	(mm)	195		
Gross Weight	(kg)	1970		
Curb Weight	(kg)	1440	1375	1345
Seating Capacity	persons	5		

ENGINE			
Model & Type		2.0-Liter 16-Valve DOHC MIVEC (4B11)	
Displacement	(cc)	1998	
Bore x Stroke	(mm)	86.0 x 86.0	
Compression Ratio		10.0 : 1	
Max. Power	(Ps / rpm)	150 / 6000	
Max. Torque	(N-m / rpm)	197 / 4200	
Fuel Tank Capacity	L	63	60

TRANSMISSION			
Model		INVECS-III CVT with 6-Speed Sportronic	5-Speed Manual
4WD System		Multi-Select 4WD with 2WD, 4WD, and Lock Mode	n/a
Gear Ratio	1st	2.349	3.833
	2nd	1.517	1.913
	3rd	1.105	1.333
	4th	0.857	1.028
	5th	0.680	0.820
	6th	0.394	n/a
Reverse		1.750	3.583
Final Gear Ratio		6.120	4.235

SUSPENSION	
Front	MacPherson Strut Coil Springs with Stabilizer Bar
Rear	Multi-Link Coil Springs with Stabilizer Bar

BRAKES	
Front	16-Inch Ventilated Disc
Rear	16-Inch Drum-In-Disc

• Equipped with Anti-Lock Braking System (ABS) Electronic • Brakeforce Distribution (EBD) • Brake Assist (BA)	
--	--

TIRES AND WHEELS	
Tires	215/60 R17
Wheels	17" x 6.5JJ Alloy

STEERING		
Gear Type		Rack and Pinion
Power Steering		Electronic-Type Power Assist
Steering Wheel		3-Spoke Leather-Wrapped
Tilt Adjustment		Equipped
Telescopic Adjusment		Equipped
Paddle Shifters		Magnesium Alloy
		n/a

AUDIO SYSTEM		
Type		Single In-Dash DVD/MP3/WMA Player with FM and AM Tuner, iPod and USB Ready, 6.2 inch Touch Screen LCD Monitor
GPS Navigation		Equipped
Bluetooth Handsfree Operation		Compatible
Speakers	6 (Including 2 Tweeters)	4
Antenna		Roof-Mounted

SAFETY		
SRS Airbags		7-Dual Stage Airbag Sytem
		Dual Stage (Driver and Passenger)
Seatbelts	Front	3P ELR with Pretensioner, Force Limiter, and Adjustable Seatbelt Anchor x 2
	Rear	3P ELR x 3

Child Proof Lock, Side Impact Beams, Laminated Glass (Green)

2.0L MIVEC Engine (4B11)


ASX' 2.0-liter powerhouse uses a lightweight aluminum block for optimum performance as it puts out 150PS to take control of city streets and open highways alike. MIVEC (Mitsubishi Innovative Valve timing Electronic Control) technology provides optimal valve timing at both low and high rev ranges, to give the most of every curve and straightaway out there.

Maximum Power

150PS
6000rpm

Maximum Torque

197N-m
4200rpm



INVECS-III CVT with 6-Speed Sportronic (GLS SE & GLS)



5-Speed M/T (GLX)

Multi-Select 4WD System (GLS SE)

2WD Mode:
Enables economical performance approaching that of a normal front engine front-wheel-drive car.

2WD

4WD AUTO Mode:
The "4WD Auto" mode automatically distributes the right amount of torque to all wheels depending on the driving condition. It maintains stability in strong wind, on highways and slippery roads.

4WD AUTO

4WD Lock Mode:
"4WD Lock" mode for steep hills, slippery or rough roads, and when getting out of mud or snow.

4WD LOCK



Retractable Headlamp Washer (GLS SE)



Color Keyed Power Door Mirrors & Turn Lamps with One-Touch Fold Function (GLS SE)



Foglamps with Chrome Bezel (GLS SE and GLS)



Chrome Exhaust Finisher



4-Wheel Independent Suspension
4-Wheel Disc Brakes with ABS, EBD & BA

Hill Start Assist (HSA)

HSA prevents the vehicle from rolling backward by automatically braking when starting on an uphill slope.



With HSA



Without HSA

- Rear Wiper and Washer
- Rear Window Defogger
- Roof Mounted Antenna
- Integrated Roof Rails




Active Stability Control (ASC)

GLS SE 4x4

Stability Control Function

ASC uses onboard sensors to analyze the vehicle's motion and identify lateral wheel slippage. By governing engine output and controlling braking to the appropriate wheels, ASC helps maintain stability and traction control.

Lateral Front-Wheel Slippage



Braking force is applied to the inner rear wheel to prevent front-end drift.

Lateral Rear-Wheel Slippage



Braking force is applied to the outer front wheel to prevent spin-out.

1. Mitsubishi Motors Philippines Corporation reserves the right to alter any specification without prior notice.
2. Photos shown in this brochure may vary from actual unit.

On Quality:
We seek excellence in our products and services and recognize that customer satisfaction is the essence of our mission.

www.mitsubishi-motors.com.ph



Drive@earth